

2018 NATIONAL MCNAIR SCHOLARS CONFERENCE AT UCLA

AD SUBMISSIONS

RATE SHEET

	Print Ads	Fee
Full-Page		\$100
Half-Page		\$75
Quarter-Page		\$50

USB Ads	Fee
Full-Page Only	\$100

Grad School Fair Pages	Fee
Logo Only	\$25

AD SIZES

Print Ads	Trim Size	Live Area	Bleed Size
Full-Page	8.5" W x 11" H	8" W x 10.5 " H	8.75" W x 11. 25"H
Half-Page Horizontal	7.5" W x 5" H	7.5" W x 4.875" H	-
Half-Page Vertical	3.75" W x 10" H	3.625" W x 10" H	-
Quarter-Page	3.75" W x 5" H	3.625" W x 4.875" H	-

DEADLINE: Wednesday, June 27, 2018

Print ad submission deadline USB ad submission deadline Grad School Fair Page logo

GENERAL AD SPECS

Ads submitted after the deadline are accepted at UCLA McNair's discretion and may incur late charges.

NON-COMPLIANCE

SIZE

If the ad is sized incorrectly, we reserve the right to resize and/or re-create it to fit accordingly.

FORMAT

We cannot use ads, images, and logos sent as Microsoft Word or Publisher files, web graphics, or low-res graphics (under 300dpi).

ELECTRONIC SUBMISSION FORMATS

PREFERRED FORMAT

PDF x1a or TIFF. QuarkXpress or InDesign files must be converted to PDFs ("press quality" CMYK/300dpi, maximum quality, fonts fully embedded – not subsets).

OTHER ACCEPTABLE FORMATS

Photoshop TIFF (CMYK/300dpi, flattened to single layer), or Adobe Illustrator EPS (CMYK, all fonts converted to outlines and rasterized graphics embedded). We cannot be held responsible for color accuracy.

FONTS

With Illustrator or Photoshop files, embed all fonts or convert to outlines or paths.

Type must not have styles (bold, italic, etc.) applied in layout program. The actual (bold or italic) font must be selected from the font family.

COLORS

No RGB or Pantone color spaces. Please check your color pallets in Quark, Illustrator, InDesign, etc. to make sure there are no spot colors: RGB or Pantone defined color spaces.

4-Color (Rich Black) Build as C=80%, M=70%, Y=50%, K=100%

Black text = Should be 100% black. (NO 4-Color black text).

IMAGES

PHOTOGRAPHIC

Should be saved in TIFF or JPG format, and must not contain extra channels.

The color space should be CMYK or Grayscale, not RGB. (CMYK/300dpi)

The maximum ink coverage (C+Y+M+K) should be no more than 300%.

The effective resolution of images should be between 300 and 400 dpi at full-size.

IMAGES/LOGOS

May be saved in TIFF, EPS or JPG format, and must not contain extra channels. Resolution of images should be between 300 and 400 dpi at full-size. (Approx. Final Size 3" x 3") Logos Should be 4-color, vector format or bitmap TIFF files at 1200 dpi.

LINEWORK

Should be saved as a bitmap TIFF.

Effective resolution of 1200-2400 dpi.